ADVANTAGE PREMIER FORM

continuous forms / envelope printing

OFFSET PRINTING BLANKETS



ADVANTAGE PREMIER FORM

Sticky back blankets designed for business form presses, envelope printing and coating

APPLICATION	INK
Sheetfed	UV
Heatset	Conventional
Coldset	Hybrid
Packaging	
Coating	RECOMMENDED
Metal	SUITABLE
Continuous F.	NOT RECOMMENDED

COLOUR Grey FACE COMPOUND Solvent resistant rubber blend Compressible SURFACE FINISH Buffed **HARDNESS** 85 shore A MICRO HARDNESS 68 +/- 3 IRHD NOMINAL THICKNESS 0,90 mm 0,95 mm 1,00 mm 1,05 mm THICKNESS TOLERANCES ROUGHNESS, RA 0,6 – 0,9 μm **BOTTOM LAYER** Adhesive with release film

STRUCTURE



Printing surface Reinforcing ply

Closed cell compressible ply

Adhesive layer with release plastic film

CHARACTERISTICS

Specially formulated surface compound

ADVANTAGES

	precision cutting, hand or CAD table.
Compressible layer with reinforcing ply	recovery. Easy trouble free stencil preparation. Clean, edged,
	Resists siliasiles gives excetterit silock absorption and rapid

Gives uniform ink & coating transfer. Can be used with both conventional and UV curing inks.

The blanket can be easily adhered/removed from different substrates, metal cylinder or blanket and easily repositioned after initial mounting. Once tightly cling provides excellent stability at high press speeds and resists most press chemicals. No residual adhesive remains on the press cylinder after blanket removal.

Gauge differentiation

Four different gauges meet requirements of the wide variety of applications.



Adhesive ply

Savatech, d.o.o. • Industrial Rubber Products and Tyres Škofjeloška c. 6 • 4000 Kranj • Slovenija • Tel + 386 (0)4 206 54 97 • Fax + 386 (0)4 206 64 00 info.print@sava.si • www.savatech.si • www.savaprint.com